SURE CROP

II Cor. 9:10

Quality Liquid Crop Nutrition

Healthy Fields ~ Optimum Yields!

Sure Crop Complete Residue Digester accelerates residue breakdown and nutrient cycling; helping to build soil structure and reduce soil loss

Complete
4-0-0-6S

Recycles Plant Carbons and Other Nutrients-Helps Increase Soil Organic Matter

Weight Per Gallon : 9.30 lbs
Freezing Temperature: 19° F

SURE CROP
II Cor. 9:10

877 US Hwy 36
Seneca, Kansas 66538
Ph. 785-336-2121

Division of Ag Connection Sales, Inc.

Complete 4-0-0-6S

- Accelerates the residue decay process
- Improves soil structure and tilth
- Helps reduce soil erosion
- Decreases soil compaction
- Releases nutrients for the next crop
- Enhances soil aggregation and water and air infiltration
- Beneficial for minimum till and no till fields
- Decreases weed, insect and disease pressures
- Increases soil fertility and microbial life
- Helps detoxify herbicide carryover
- Non toxic and safe for the environment

Notes

For Quality Performance Call 1-800-635-4743

SURE CROP

II Cor. 9:10

Quality Liquid Crop Nutrition

Healthy Fields ~ Optimum Yields!

Minimum Guaranteed Analysis
4- 0 - 0 - 6 S

Total Nitrogen (N)..... 4.00%
Sulfur (S)..... 6.00%

Complete
4-0-0-6S

Recycles Plant Carbons and Other Nutrients-Helps Increase Soil Organic Matter

Weight Per Gallon : 9.30 lbs
Freezing Temperature: 19° F

SURE CROP
877 US Hwy 36
Seneca, Kansas 66538
Ph. 785-336-2121

Division of Ag Connection Sales, Inc.

General Recommendation

Sure Crop Complete Reside Digester is a proprietary complex of humic/fulvic chelates with diverse microbial species, energized bio-stimulants, hormones, enzymes and vitamins.

Sure Crop Complete Residue Digester may be broadcast applied to crop residues for row crops, small grains, legumes, vegetables and grasses.

Application Rate: Apply 4-8 qts p/Acre of **Sure Crop Complete Residue Digester** to crop residues following harvest.

Apply with sufficient water or fertilizer carrier to cover. Preferably total application rate is 10-20 gals p/Acre.

Apply as soon after harvest as possible for best results.

May also apply early spring for fall harvested crops but less time to digest residue.

Consult product label for further blending, storage, and application instructions.

Notes